OKTOPUS® GGA-E-B 2500 ovH

Counterweight Balancers

WHEN PERFORM



Why Oktopus® GGA-E-B 2500 ovH?

The OKTOPUS® GGA-E-B 2500 ovH is a versatile load lifting attachment designed for the precise lifting and positioning of construction elements. Engineered to meet the rigorous standards of DIN EN 13155, this counterweight balancer ensures safety and efficiency in challenging environments. The GGA-B 2500/30/3,0/6,0 oVH model is ideal for lifting and positioning construction elements equipped with integrated crane eyes. Its compact design allows for operation in difficult-to-access areas, such as below eaves, balconies, and stages. The attachment utilises an integrated load hook in conjunction with various slings (ropes, chains, belts, etc.) to securely lift loads.

Featuring electrically driven counterweights operated via cable remote control (with an optional radio remote control), the GGA-E-B 2500 ovH ensures precise balancing of loads up to 2500 kg. It boasts a high-capacity, battery-powered energy supply for extended operation periods. Additionally, the built-in gauge allows for easy monitoring of the energy supply, ensuring uninterrupted performance and safety during use. The OKTOPUS® GGA-E-B 2500 ovH is the perfect solution for professionals in the construction industry who require a reliable and efficient means of handling and positioning heavy elements in constrained spaces.





CONFIGURATIONS



attachment



Telescopic boom/ crane arm/lifting column



Radio remote 00 control



Control panel at the device / cable remote control



Battery



CONTACT US

Phone: 0438 419 798 Email: info@lincer.com.au Address: 2/4 Bostock Court, Thomastown VIC 3074, Australia




ccreditations and lincer.com.au

OKTOPUS® GGA-E-B 2500 ovH WHEN PERFORMAL MATT

OVERVIEW

Working Load Limit	Overhang	Working Load Limit of the counterweight balancer
	1,50 m	2,500 kg
	1,75 m	2,000 kg
	2,00 m	1,500 kg
	2,50 m	1,000 kg
	3,00 m	700 kg
Counterweights	30 pieces removable (1 counterweight = 25 kg)	
Operation	Cable remote control, radio remote control optional	
Power supply	24 V battery system	
Weight	Approx. 515 kg (without counterweights)	
	Approx. 1,265 kg (with 30 pieces counterweights)	

DIMENSIONS









Lincer's Services



Inspection and Testing

Our comprehensive Inspection and Testing services for vacuum lifting equipment, and material handling equipment are designed to safeguard your operations and workforce.



Schedule Maintenance

Our commitment is backed by a meticulous schedule, featuring periodic inspections, designed to proactively address any potential issues and keep your lifting equipment in peak condition.



Replacement Equipment

We offer replacement lifting equipment while yours is being serviced, ensuring your operations continue uninterrupted, keeping your projects on track.



Repairs

At Lincer, we specialise in top-tier repair services for lifting equipment. Our certified technicians are adept at addressing any damage, ensuring your equipment operates at its best.



Parts

Discover a comprehensive selection of high-quality lifting equipment parts at Lincer. We offer a wide range of genuine parts to keep your lifting equipment operating at peak performance. Shop with confidence and trust our expertise in providing reliable parts for all your lifting needs.

5 Reasons to choose Lincer

1

Peace of Mind

At Lincer, quality and safety are our top priorities.
We provide best-in-class equipment to not just meet but exceed your expectations, ensuring peace of mind for every project.

2

Know-How

Backed by our professional team, which we consider our greatest asset, and fortified by strong industry partnerships, we deliver swift technical services and guarantee compliance with Australian standards, ensuring your operations run smoothly.

3

Lifecycle Management

Let us handle the entire lifecycle of your equipment. From initial sales to ongoing servicing, our end-to-end solutions are designed to optimise your operations and minimize disruptions.

4

Seamless Continuity

With Lincer, downtime is a thing of the past. We offer replacement lifting equipment while yours is being serviced, ensuring your operations continue uninterrupted.

5

Industry Affiliations

Lincer stays at the forefront of the lifting industry, keeping you informed with the latest technical, legal, and safety information. Thanks to our affiliations you can trust that you're always operating with the most up-to-date knowledge and standards.



Phone: 0438 419 798
Email: info@lincer.com.au
Address: 2/4 Bostock Court, Thomastown
VIC 3074. Australia



