













## Why Oktopus® ERGO-Sprint 250 DS A 570 S E AC3-24 P?

The OKTOPUS® ERGO-Sprint 250 DS A 570 S E AC3-24 P is a single circuit vacuum lifter designed for efficient handling of flat glass panes and window elements. It features a vacuum circuit with a 2-fold safety system and an integrated vacuum reservoir. Ideal for flat glass panes and window elements, the surfaces must be air-impermeable, even, clean, and free from protective foil.

Compatible with indoor cranes, X-Y lightweight cranes, and column and wall slewing cranes, it has an adjustable crane eye for secure attachment to the crane hook.



### CONFIGURATIONS

-  Crane attachment
-  Rotate 360°
-  Rotate +/- 90°
-  Tilt around horizontal axis
-  Incline 82°/84° - 90°
-  Control panel at the device / cable remote control
-  Manual operation
-  Mains current
-  24 V Battery
-  Compressed air

**OVERVIEW**

<b>Working Load Limit</b>	Up to 250 kg
<b>Suction frame type</b>	Frame consisting of a main core and four shifting beams with attached suction pads
<b>Weight</b>	Approx. 80 kg
<b>Suction pads</b>	2 suction pads Ø 300 mm for flat glass panes
<b>Vacuum generation</b>	Centrally arranged, unregulated ejectors
<b>Operation</b>	All functions with buttons on the device
<b>Vacuum system</b>	Single circuit for shop floor operation
<b>Nominal pressure pneumatic system</b>	-0.65 bar to -0.73 bar
<b>Power supply</b>	400 V AC
<b>Optional facilities</b>	<ul style="list-style-type: none"><li>• Alternative power supply: 230 V AC, 24 V DC, compressed air</li><li>• Variable type and number of suction pads</li><li>• Blow-off function</li><li>• Energy saving function (vacuum controlled)</li><li>• Operation vacuum generation with buttons</li><li>• Integration chain hoist control (ABUS)</li></ul>
<b>Optional equipment</b>	Suction pads extensions
<b>Movements</b>	<ul style="list-style-type: none"><li>• Lifting/Lowering: by crane hook</li><li>• Rotating horizontally: in the crane hook, manually 360°</li><li>• Rotating suction frame: electrically 360°, alternative manually 360°, pneumatically 0-90°</li><li>• Tilting the suction frame: electrically 0-90°, alternative manually 0-90°, pneumatically 0-90°</li></ul>


# Lincer, Your Equipment Guardian.

## Lincer's Services



### Inspection and Testing

Our comprehensive Inspection and Testing services for vacuum lifting equipment, and material handling equipment are designed to safeguard your operations and workforce.



### Schedule Maintenance

Our commitment is backed by a meticulous schedule, featuring periodic inspections, designed to proactively address any potential issues and keep your lifting equipment in peak condition.



### Replacement Equipment

We offer replacement lifting equipment while yours is being serviced, ensuring your operations continue uninterrupted, keeping your projects on track.



### Repairs

At Lincer, we specialise in top-tier repair services for lifting equipment. Our certified technicians are adept at addressing any damage, ensuring your equipment operates at its best.



### Parts

Discover a comprehensive selection of high-quality lifting equipment parts at Lincer. We offer a wide range of genuine parts to keep your lifting equipment operating at peak performance. Shop with confidence and trust our expertise in providing reliable parts for all your lifting needs.

## 5 Reasons to choose Lincer

# 1

### Peace of Mind

At Lincer, quality and safety are our top priorities. We provide best-in-class equipment to not just meet but exceed your expectations, ensuring peace of mind for every project.

# 2

### Know-How

Backed by our professional team, which we consider our greatest asset, and fortified by strong industry partnerships, we deliver swift technical services and guarantee compliance with Australian standards, ensuring your operations run smoothly.

# 3

### Lifecycle Management

Let us handle the entire lifecycle of your equipment. From initial sales to ongoing servicing, our end-to-end solutions are designed to optimise your operations and minimize disruptions.

# 4

### Seamless Continuity

With Lincer, downtime is a thing of the past. We offer replacement lifting equipment while yours is being serviced, ensuring your operations continue uninterrupted.

# 5

### Industry Affiliations

Lincer stays at the forefront of the lifting industry, keeping you informed with the latest technical, legal, and safety information. Thanks to our affiliations you can trust that you're always operating with the most up-to-date knowledge and standards.



MARK DOC OKT 007

### CONTACT US

Phone: 0438 419 798  
Email: [info@lincer.com.au](mailto:info@lincer.com.au)  
Address: 2/4 Bostock Court, Thomastown  
VIC 3074, Australia

### PROUD MEMBER



Find out about our accreditations and services at:

[lincer.com.au](http://lincer.com.au)