
WHEN PERFORMANCE MATTERS



Why Oktopus® GL-LN 600?


The OKTOPUS® GL-LN 600 Glass Vacuum Lifter, available at Lincer Australia, is the premier solution for effortlessly lifting and installing long and narrow glass elements, such as those needed for conservatories, up to 600 kg. This versatile lifter can also be configured into a cross-shaped arrangement to handle rectangular glass panes, enhancing its adaptability. Its crane eye allows for easy attachment to your existing hoist, while the suction frame offers 360° rotation and 90° tilting, ensuring precise positioning. The ergonomic design of the operating and display elements makes load manipulation straightforward and comfortable. Safety is paramount, with optical and acoustical warnings for any deviations and a secure vacuum hold for at least 5 minutes in power loss scenarios, guaranteeing safe load lowering.





CONFIGURATIONS






















OKTOPUS® GL-LN600 Glass Vacuum Lifter


WHEN PERFORMANCE MATTERS

OVERVIEW

Working Load Limit	4 suction pads Ø 300 mm up to 300 kg 6 suction pads Ø 300 mm up to 450 kg 8 suction pads Ø 300 mm up to 600 kg
Weight	Depending on the configuration approx. 60 kg - 95 kg
Suction pads	4, 6 or 8 pcs. Ø 300 mm
Vacuum generation	Electrical vacuum pump
Operation	Operating lever on the device
Vacuum system	Dual-circuit vacuum system for construction site use
Nominal pressure pneumatic system	-0.65 bar to -0.73 bar
Power supply	24 V DC battery system
Optional facilities	Blow-off function Crane arm with hydraulic lowering cylinder
Optional equipment	 crane mounting horizontal transport box
Movements	 Lifting and loweringl: By the crane hook Rotating horizontally: In the crane hook, manually 360° Rotation of the suction frame: Manually 360°, lockable every 45° Tilting the suction frame: Manually 0-90°

DIMENSIONS







CONTACT US



Lincer's Services



Inspection and Testing

Our comprehensive Inspection and Testing services for vacuum lifting equipment, and material handling equipment are designed to safeguard your operations and workforce.



Schedule Maintenance

Our commitment is backed by a meticulous schedule, featuring periodic inspections, designed to proactively address any potential issues and keep your lifting equipment in peak condition.



Replacement Equipment

We offer replacement lifting equipment while yours is being serviced, ensuring your operations continue uninterrupted, keeping your projects on track.



Repairs

At Lincer, we specialise in top-tier repair services for lifting equipment. Our certified technicians are adept at addressing any damage, ensuring your equipment operates at its best.



Parts

Discover a comprehensive selection of high-quality lifting equipment parts at Lincer. We offer a wide range of genuine parts to keep your lifting equipment operating at peak performance. Shop with confidence and trust our expertise in providing reliable parts for all your lifting needs.

5 Reasons to choose Lincer

-

Peace of Mind

At Lincer, quality and safety are our top priorities.
We provide best-in-class equipment to not just meet but exceed your expectations, ensuring peace of mind for every project.

2

Know-How

Backed by our professional team, which we consider our greatest asset, and fortified by strong industry partnerships, we deliver swift technical services and guarantee compliance with Australian standards, ensuring your operations run smoothly. 3

Lifecycle Management

Let us handle the entire lifecycle of your equipment. From initial sales to ongoing servicing, our end-to-end solutions are designed to optimise your operations and minimize disruptions.

4

Seamless Continuity

With Lincer, downtime is a thing of the past. We offer replacement lifting equipment while yours is being serviced, ensuring your operations continue uninterrupted.

5

Industry Affiliations

Lincer stays at the forefront of the lifting industry, keeping you informed with the latest technical, legal, and safety information. Thanks to our affiliations you can trust that you're always operating with the most up-to-date knowledge and standards.



Phone: 0438 419 798
Email: info@lincer.com.au
Address: 2/4 Bostock Court, Thomastown
VIC 3074, Australia



